

	Type	Hits	Search Text	DBs
1	BRS	496860	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	242873	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	16936	(heat stake) or stake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	640837	lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	87	S2 and S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	63	S2 and S4 and S3 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	987	(inner lens) and (outer lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	8	S1 and S2 and S7 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	496040	lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1922755	housing or casing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	85303	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	29	S9 and S10 and lens and S3 and S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	8	S9 and S10 and S7 and S3 and S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	10771	((light emit\$6 diodes) or "LED") lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	26539	((light emit\$6 diodes) or "LED") with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	26539	S14 or S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	10791	S14 or S15 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	80	S16 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	("2002/0196131").URPN.	USPAT
20	BRS	0	("2005/0083687").URPN.	USPAT
21	IS&R	2	("6710363") or ("6402347").PN.	USPAT

	Type	Hits	Search Text	DBs
22	BRS	11	("4495378"   "5161059"   "5301090"   "5387961"   "5740313"   "5803575"   "5803579"   "5953053"   "5997150"   "6105869"   "6151407").PN.	US-PGPUB; USPAT; USOCR
23	BRS	4	("6402347").URPN.	USPAT
24	BRS	713	(heat stake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	8	(heat stake) with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	30	(heat stake) same lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	243097	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	31	S27 with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	100	S27 same S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	243110	S26 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	30	S25 or S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	100	S28 or S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	496345	lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	20	S31 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	10	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	27	S34 or S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	56	"362"/\$.ccls. and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	38	"361"/\$.ccls. and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	94	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
40	BRS	16	("2931851"   "3210032"   "4065199"   "4591203"   "4907836"   "4918261"   "5160812"   "5368802"   "5445436"   "5460530"   "5523532"   "5535511"   "5573299"   "5615851").PN.	US-PGPUB; USPAT; USOCR
41	BRS	1	("5932846").URPN.	USPAT
42	BRS	51	(heat stake) and S27 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	497390	((light emit\$6 diodes) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	147	S43 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	3403	(heat stak\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	57	S45 with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	123	S45 same lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	254	S45 same S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	83	S45 with S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	44	S45 with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	123	S46 or S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	254	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	64	S51 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	34	S52 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	56	S51 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	114	S52 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	56	S55 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	31	S56 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	82	S57 or S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
60	IS&R	3	((("20030095398A1") or ("20030043590A1") or ("20010009510A1") or ("6,502,956B1") or ("5,871,784") or ("5,434,750") or ("3,969,721"))).PN.	USPAT
61	BRS	0	20030095398A1 20030043590A1 20010009510A1	US-PGPUB
62	BRS	0	"20030095398".ap. 20030043590A1 20010009510A1	US-PGPUB
63	BRS	0	"20030095398".ap.	US-PGPUB
64	BRS	0	"0095398".ap.	US-PGPUB
65	BRS	19	(heat stakes) with (screws or bolts)	US-PGPUB
66	BRS	54	heat stak\$4 with tab\$4	US-PGPUB
67	BRS	713	(heat stake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	38	"361"/\$.ccls. and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	7498	362/540,544,545,800,227,240,249, 308-310.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	922	248/317.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	8419	S69 OR S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	497390	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	243097	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	3403	heat stak\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	7and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	16	S71 and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	15	S69 and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	16	S76 or S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB